

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	47768	(e-mail or email or ((electronic or electric) adj2 mail)) with (address\$3 adj\$3 (predict\$3 foresee\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:44
S2	12	(e-mail or email or ((electronic or electric) adj2 mail)) with ((addressee adj3 field) near5 (complet\$3 or fill\$4 or replac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:43
S3	12	S1 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:15
S4	1	S3 same ((addressee near5 (attribute or value or text or result)) with (text adj3 (mining or manipulatt\$)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:18
S5	1	S3 and ((addressee near5 (attribute or value or text or result)) with (text adj3 (mining or manipulatt\$)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:18
S6	1	S3 and ((addressee near5 (attribute or value or text or result)) and (text adj3 (mining or manipulatt\$)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:19
S7	2	S3 and ((addressee near5 (attribute or value or text or result)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:19
S8	10	S3 and ((address\$3 with (attribute or value or text or result)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:21

EAST Search History

S9	1	S3 same((address\$3 with (attribute or value or text or result)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:21
S10	29	(e-mail or email or ((electronic or electric) adj2 mail)) with (((addressee or recipient) adj3 field) near5 (complet\$3 or fill\$4 or replac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:44
S11	51115	(e-mail or email or ((electronic or electric) adj2 mail)) with ((address\$3 or recipient\$3) adj\$3 (predict\$3 foresee\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:45
S12	29	S10 same S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:08
S13	1	S12 same ((addressee near5 (attribute or value or text or result)) with (text adj3 (mining or manipulatt\$)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:46
S14	1	S12 and ((addressee near5 (attribute or value or text or result)) with (text adj3 (mining or manipulatt\$)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:47
S15	2	S12 and ((text adj3 (mining or manipulatt\$)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:46
S16	2	S12 and ((addressee near5 (attribute or value or text or result)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:48

EAST Search History

S17	6	S12 and (((addressee or recipient) near5 (attribute or value or text or result)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:48
S18	1	S10 same S11 and (best with ((probab\$ or possib\$)adj3 (recipient or address\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:06
S19	3	S10 same S11 and (((probab\$ or possib\$)adj3 (recipient or address\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:06
S20	2	S10 same S11 and ((data or text or information)adj3 mining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:10
S21	81	(addressee or recipient)adj3 predict\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:15
S22	2	S21 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:11
S23	23	S21 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:11
S24	4	((addressee or recipient)adj3 predict\$4) with (e-mail or email or ((electronic or electric) adj2 mail))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:16

EAST Search History

S25	7	((addressee or recipient)adj3 predict\$4) same (e-mail or email or (electronic or electric) adj2 mail))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:31
S26	5553	(incomplet\$3 adj3 address\$3) avd S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:31
S27	1	(incomplet\$3 adj3 address\$3) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:32
S28	0	((incomplet\$3 or prtial) adj3 address\$3) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:32
S29	1	((incomplet\$3 or prtial) adj3 address\$3) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:32
S30	1	((incomplet\$3 or partial) adj3 address\$3) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:32
S31	2	((incomplet\$3 or partial or begin\$ or start\$3) adj3 address\$3) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:46
S32	0	(predict\$3 near5 ((correct or right) adj3 (email or e-mail or mail)) with (addressee or recipient))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:50

EAST Search History

S33	0	(predict\$3 near5 ((correct or right or proper) adj3 (email or e-mail or mail)) with (addressee or recipient))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:50
S34	37	(predict\$3 near5 ((email or e-mail or mail)) with (addressee or recipient))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:56
S35	1	(predict\$3 near5 ((email or e-mail or mail)) with (addressee or recipient)) with (((addressee or recipient) adj3 field) near5 (complet\$3 or fill\$4 or replac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:51
S36	1	(predict\$3 near5 ((email or e-mail or mail)) with (addressee or recipient)) same(((addressee or recipient) adj3 field) near5 (complet\$3 or fill\$4 or replac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:51
S37	2	(predict\$3 near5 ((email or e-mail or mail)) with (addressee or recipient)) and (((addressee or recipient) adj3 field) near5 (complet\$3 or fill\$4 or replac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:52
S38	2	(predict\$3 near5 ((email or e-mail or mail)) with (addressee or recipient)) and (((addressee or recipient) adj3 field) with(complet\$3 or fill\$4 or replac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:52
S39	2	(predict\$3 near5 ((email or e-mail or mail)) with (addressee or recipient)) and (((addressee or recipient) adj3 field) same(complet\$3 or fill\$4 or replac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:53
S40	3	(predict\$3 near5 ((email or e-mail or mail)) with (addressee or recipient)) and (field with(complet\$3 or fill\$4 or replac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 12:53

EAST Search History

S41	15	(predict\$3 near5 ((email or e-mail or(electron\$4 adj3 mail))) with (addressee or recipient))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 13:03
S42	5	(predict\$3 near5 ((email or e-mail or(electron\$4 adj3 mail))) adj4(addressee or recipient))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:37
S43	2	((predict\$3 or foresee\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))near5 address\$3)) with(addressee or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:40
S44	330	((predict\$3 or foresee\$3 or indicat\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))near5 address\$3)) with(addressee or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:41
S45	340	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))near5 address\$3)) with(addressee or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:42
S46	270	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:43
S47	0	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient) same (((addressee or recipient) adj3 field) near5 (complet\$3 or fill\$4 or replac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:43

EAST Search History

S48	3	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient) and(((addressee or recipient) adj3 field) near5 (complet\$3 or fill\$4 or replac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:46
S49	3	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination) and(((addressee or recipient) adj3 field) near5 (complet\$3 or fill\$4 or replac\$3 or set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:47
S50	4	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination) and(((addressee or recipient or destination) adj3 field) near5 (complet\$3 or fill\$4 or replac\$3 or set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:48
S51	54	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination) and(((addressee or recipient or destination) adj3 (field or address\$3)) near5 (complet\$3 or fill\$4 or replac\$3 or set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:48
S52	18	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination) same(((addressee or recipient or destination) adj3 (field or address\$3)) near5 (complet\$3 or fill\$4 or replac\$3 or set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:58

EAST Search History

S53	0	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination) same(((addressee or recipient or destination) adj3 (field)) near5 (complet\$3 or fill\$4 or replac\$3 or set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 10:58
S54	4	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination) and(((addressee or recipient or destination) adj3 (field)) near5 (complet\$3 or fill\$4 or replac\$3 or set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 11:00
S55	6	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination) and(((addressee or recipient or destination) adj3 (field)) with (complet\$3 or fill\$4 or replac\$3 or set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 11:06
S56	453	((predict\$3 or foresee\$3 or indicat\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 11:06
S57	12	((predict\$3 or foresee\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 11:08
S58	1	((predict\$3 or foresee\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination) same field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 11:07
S59	1	((predict\$3 or foresee\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination) and ((addressee or recipient or destination) adj field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 11:08

EAST Search History

S60	1	((predict\$3 or foresee\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination) and ((addressee or recipient or destination) adj field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 11:08
S61	1	((predict\$3 or foresee\$3 or guess\$3) near5 ((email or e-mail or(electron\$4 adj3 mail))adj3 address\$3)) with(addressee or recipient or destination) and ((addressee or recipient or destination) adj3 field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/04 11:08